

Cc: Tapia, Cecilia[Tapia.Cecilia@epa.gov]; Harris, Diane E.[Harris.Dianee@epa.gov]
To: Estep, Rebecca[Estep.Rebecca@epa.gov]
From: Mahler, Tom
Sent: Fri 12/23/2016 7:46:53 PM
Subject: Fwd: QAPP
QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site - Rev 01.pdf
ATT00001.htm

References to EPA CLP have been removed and replaced with Start Contract Lab SOPs.

Let me know if there are any other issues.

If possible, could you send me a scanned signature once available?

Tom

Sent from my iPhone

Begin forwarded message:

From: "Monnig, Rob" <rob.monnig@tetrattech.com>
To: "Mahler, Tom" <mahler.tom@epa.gov>
Subject: QAPP

Here it is

Rob Monnig, PE | Chemical Engineer

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.